

CLEAN EARTH OF NORTH JERSEY, INC. UHC WASTE PROFILE ADDENDUM

GENERATOR NAME: _____

CUSTOMER NO.: _____

APPROVAL CODE #: _____

If the generator determines that their waste displays a hazardous characteristic (and is not D001 nonwastewaters treated by CMBST, RORGS, or POL YM of 268.42, Table 1), the generator must determine the underlying hazardous constituents (as defined at 268.2(i)) in the characteristic waste. If your waste falls into this category, please identify all underlying hazardous constituents present at levels above the Universal Treatment Standards (UTS) at the point of generation, by checking the UTS Table below and on Page 2 the constituent(s) which are present. Please print and sign your name on Page TWO (2) of this Form.

CONSTITUENT	CONSTITUENT PRESENT *	WW (mg/l)	NWW (mg/kg)
ORGANIC CONSTITUENTS			
Acenaphthylene		0.05900	3.400
Acenaphthene		0.05900	3.400
Acetone		0.28000	160.000
Acetonitrile		5.60000	38.000
Acetophenone		0.01000	9.700
2-Acetylaminofluorene		0.05900	140.000
Acrolein		0.29000	NA
Acrylamide		19.000	23.000
Acrylonitrile		0.24000	84.000
Aldicarb sulfone		0.05600	0.280
Aldrin		0.02100	0.066
4-Aminobiphenyl		0.13000	NA
Aniline		0.81000	14.000
Anthracene		0.05900	3.400
Aramite		0.36000	NA
Barban		0.05600	1.400
alpha-BHC		0.00014	0.066
beta-BHC		0.00014	0.066
delta-BHC		0.02300	0.066
gamma-BHC (Lindane)		0.00170	0.066
Bendiocarb		0.05600	1.400
Benomyl		0.05600	1.400
Benzene		0.14000	10.000
Benz (a) anthracene		0.05900	3.400
Benzal chloride		0.05500	6.000
Benzo (b) fluoranthene		0.11000	6.800
Benzo (k) fluoranthene		0.11000	6.800
Benzo (g,h,i) perylene		0.00550	1.800
Benzo (a) pyrene		0.06100	3.400
Bromodichloromethane		0.35000	15.000
Bromoform (Tribromomethane)		0.63000	15.000
Bromomethane (methyl bromide)		0.11000	15.000
4-Bromophenyl phenyl ether		0.05500	15.000
n-Butanol (n-Butyl alcohol)		5.60000	2.600
Butylate		0.04200	1.400
Butyl benzyl phthalate		0.01700	28.000
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)		0.06600	2.500
Carbaryl		0.00600	0.140
Carbendazim		0.05600	1.400
Carbofuran		0.00600	0.140
Carbofuran phenol		0.05600	1.400
Carbon disulfide		3.80000	4.800 ¹
Carbon tetrachloride		0.05700	6.000
Carbosulfan		0.02800	1.400
Chlordane (alpha & gamma)		0.00330	0.260
p-Chloroaniline		0.46000	16
Chlorobenzene		0.05700	6.000
Chlorobenzilate		0.10000	NA
2-chloro-1,3-butadiene		0.05700	0.280
Chlorodibromomethane		0.05700	15.000
Chloroethane		0.27000	6.000
bis-(2-Chloroethoxy) methane		0.03600	7.200
bis-(2-Chloroethyl) ether		0.03300	6
Chloroform		0.04600	6
bis-(2-Chloroisopropyl) ether		0.05500	7.2
p-Chloro-m-cresol		0.01800	14.000
2-Chloroethyl Vinyl ether		0.06200	NA
Chloromethane (methyl chloride)		0.19000	30.000
2-Chloronaphthalene		0.05500	5.600
2-Chlorophenol		0.04400	5.700
3-Chloropropylene		0.03600	30.000
Chrysene		0.05900	3.400
m-Cresol		0.77000	5.600
o-Cresol		0.11000	5.600
p-Cresol		0.77000	5.600
m-Cumenyl methylcarbamate		0.05600	1.400
Cyclohexanone		0.36000	0.750 ¹

CONSTITUENT	CONSTITUENT PRESENT *	WW (mg/l)	NWW (mg/kg)
1,2-Dibromo-3-Chloropropane		0.11000	15.000
1,2-Dibromoethane (Ethylene dibromide)		0.02800	15.000
Dibromomethane		0.11000	15.000
2,4-Dichlorophenoxyacetic acid (2,4-D)		0.72000	10.000
o,p-DDD		0.02300	0.087
p,p-DDD		0.02300	0.087
o,p-DDE		0.03100	0.087
p,p-DDE		0.03100	0.087
o,p-DDT		0.00390	0.087
p,p-DDT		0.00390	0.087
Dibenzo(a,h) anthracene		0.05500	8.200
Dibenzo(a,e)pyrene		0.06100	NA
m-Dichlorobenzene		0.03600	6.000
o-Dichlorobenzene		0.08800	6.000
p-Dichlorobenzene		0.09000	6.000
Dichlorodifluoromethane		0.23000	7.200
1,1-Dichloroethane		0.05900	6.000
1,2-Dichloroethane		0.21000	6.000
1,1-Dichloroethylene		0.02500	6.000
trans-1,2-Dichloroethylene		0.05400	30.000
2,4-Dichlorophenol		0.04400	14.000
2,6-Dichlorophenol		0.04400	14.000
1,2-Dichloropropane		0.85000	18.000
cis-1,3-Dichloropropylene		0.03600	18.000
trans-1,3-Dichloropropylene		0.03600	18.000
Dieldrin		0.01700	0.130
Diethyl phthalate		0.20000	28.000
p-Dimethylaminoazobenzene		0.13000	NA
2,4-Dimethyl phenol		0.03600	14.000
Dimethyl phthalate		0.04700	28.000
Di-n-butyl phthalate		0.05700	28.000
1,4-Dinitrobenzene		0.32000	2.300
4,6-Dinitro-o-cresol		0.28000	160.000
2,4-Dinitrophenol		0.12000	160.000
2,4-Dinitrotoluene		0.32000	140.000
2,6-Dinitrotoluene		0.55000	28.000
Di-n-octyl phthalate		0.01700	28.000
Di-n-propylNitrosoamine		0.40000	14.000
Dithiocarbamates (Total)			28.000
1,4-Dioxane		12.00000	170.000
Diphenyl amine		0.92000	13.000
DiphenylNitrosamine		0.92000	13.000
1,2-Diphenyl hydrazine		0.08700	NA
Disulfoton		0.01700	6.200
Endosulfan I		0.02300	0.066
Endosulfan II		0.02900	0.130
Endosulfan sulfate		0.02900	0.130
Endrin		0.00280	0.130
Endrin aldehyde		0.02500	0.130
EPTC		0.04200	1.400
Ethyl acetate		0.34000	33.000
Ethyl benzene		0.05700	10.000
Ethyl cyanide (Propanenitrile)		0.24000	360.000
Ethyl ether		0.12000	160.000
bis-(2-Ethylhexyl) phthalate		0.28000	28.000
Ethyl methacrylate		0.14000	160.000
Ethylene oxide		0.12000	NA
Famphur		0.01700	15.000
Fluoranthene		0.06800	3.400
Fluorene		0.05900	3.400
Formetanate hydrochloride		0.05600	1.400
Heptachlor		0.00120	0.066
Heptachlor epoxide		0.01600	0.066
Hexachlorobenzene		0.05500	10
Hexachlorobutadiene		0.05500	5.600
Hexachlorocyclopentadiene		0.05700	2.400
Hexachlorodibenzo-furans		0.000063	0.001
Hexachlorodibenzo-p-dioxins		0.000063	0.001

* Above the Universal Treatment Standards

GENERATOR NAME: _____

Customer No. : _____

APPROVAL CODE #: _____

CONSTITUENT	CONSTITUENT PRESENT *	WW (mg/l)	NWW (mg/kg)
Hexachloroethane		0.05500	30.000
Hexachloropropylene		0.03500	30.000
Indeno (1,2,3-c,d) pyrene		0.00550	3.400
Iodomethane		0.19000	65.000
Isobutanol (Isobutyl Alcohol)		5.60000	170.000
Isodrin		0.02100	0.066
Isosafrole		0.08100	2.600
Kepone		0.00110	0.130
Methacrylonitrile		0.24000	84.000
Methanol		5.60000	0.750 ¹
Methapyrilene		0.08100	1.500
Methiocarb		0.05600	1.400
Methomyl		0.02800	0.140
Methoxychlor		0.25000	0.180
3-Methylcholanthrene		0.00550	15.000
4,4-Methylene-Bis-(2-chloroaniline)		0.50000	30.000
Methylene Chloride		0.08900	30.000
Methyl ethyl ketone		0.28000	36.000
Methyl isobutyl ketone		0.14000	33.000
Methyl methacrylate		0.14000	160.000
Methyl methanesulfonate		0.01800	NA
Methyl parathion		0.01400	4.600
Metolcarb		0.05600	1.400
Mexacarbate		0.05600	1.400
Molinate		0.04200	1.400
Naphthalene		0.05900	5.600
2-Naphthylamine		0.52000	NA
o-Nitroaniline		0.27000	14.000
p-Nitroaniline		0.02800	28.000
Nitrobenzene		0.06800	14.000
5-Nitro-o-toluidine		0.32000	28.000
o-Nitrophenol		0.02800	13.000
p-Nitrophenol		0.12000	29.000
N-Nitrosodiethylamine		0.40000	28.000
N-Nitrosodimethylamine		0.40000	2.300
N-Nitroso-di-n-butylamine		0.40000	17.000
N-Nitrosomethylethylamine		0.40000	2.300
N-Nitrosomorpholine		0.40000	2.300
N-Nitrosopiperidine		0.01300	35.000
N-Nitrosopyrrolidine		0.01300	35.000
Oxamyl		0.05600	0.280
Parathion		0.01400	4.600
PCBs (total) all isomers or Aroclors		0.10000	10.000
Pebulate		0.04200	1.400
Pentachlorobenzene		0.05500	10.000
Pentachloroethane		0.05500	6.000
Pentachlorodibenzo-furans		0.000035	0.001
Pentachlorodibenzo-p-dioxins		0.000063	0.001
Pentachloronitrobenzene		0.05500	4.800
Pentachlorophenol		0.08900	7.400
Phenacetin		0.08100	16.000
Phenanthrene		0.05900	5.600
Phenol		0.03900	6.200
Phorate		0.02100	4.600
Phthalic acid		0.05500	28.00
Phthalic anhydride		0.05500	28.000
Physostigmine		0.05600	1.400
Physostigmine salicylate		0.05600	1.400

CONSTITUENT	CONSTITUENT PRESENT *	WW (mg/l)	NWW (mg/kg)
Promecarb		0.05600	1.400
Pronamide		0.09300	1.500
Propham		0.05600	1.400
Propoxur		0.05600	1.400
Prosulfocarb		0.04200	1.400
Pyrene		0.06700	8.200
Pyridine		0.01400	16.000
Safrole		0.08100	22.000
Silvex (2,4,5-TP)		0.72000	7.900
1,2,4,5-Tetrachlorobenzene		0.05500	14.000
Tetrachlorodibenzo-furans		0.000063	0.001
Tetrachlorodibenzo-p-dioxins		0.000063	0.001
1,1,1,2-Tetrachloroethane		0.05700	6.000
1,1,2,2-Tetrachloroethane		0.05700	6.000
Tetrachloroethylene		0.05600	6.000
2,3,4,6-Tetrachlorophenol		0.03000	7.400
Thiodicarb		0.01900	1.400
Thiophanate-methyl		0.05600	1.400
Toluene		0.08000	10.000
Toxaphene		0.00950	2.600
Triallate		0.04200	1.400
Tribromomethane/Bromoform		0.06300	15.000
2,4,6-Tribromophenol		0.03500	7.400
1,2,4-Trichlorobenzene		0.05500	19.000
1,1,1-Trichloroethane		0.05400	6.000
1,1,2-Trichloroethane		0.05400	6.000
Trichloroethylene		0.05400	6.000
Trichloromonofluoromethane		0.02000	30.000
2,4,5-Trichlorophenol		0.18000	7.400
2,4,6-Trichlorophenol		0.03500	7.400
2,4,5-Trichlorophenoxyacetic acid/2,4,5-T		0.07200	7.900
1,2,3-Trichloropropane		0.85000	30.000
1,1,2-Trichloro-1,2,2-trifluoroethane		0.05700	30.000
Triethylamine		0.08100	1.500
Tris(2,3,-dibromopropyl) phosphate		0.11000	0.100
Vernolate		0.04200	1.400
Vinyl chloride		0.27000	6.000
Xylene (sum of o-,m-, and p- isomers)		0.32000	30.000
Inorganic Constituents			
Cyanides (Total)		1.20000	590.000
Cyanides (Amenable)		0.86000	30.000
Antimony		1.90000	1.150 ¹
Arsenic		1.40000	5.000 ¹
Barium		1.20000	21.000 ¹
Beryllium		0.82000	1.220 ¹
Cadmium		0.69000	0.110 ¹
Chromium(Total)		2.77000	0.600 ¹
Fluoride ²		35.00000	NA
Lead		0.69000	0.750 ¹
Mercury (Non WW from retort)		NA	0.200 ¹
Mercury (All others)		0.15000	0.025 ¹
Nickel		3.98000	11.000 ¹
Selenium		0.82000	5.700 ¹
Silver		0.43000	0.140 ¹
Sulfide ²		14.00000	NA
Thallium		1.40000	0.20 ¹
Vanadium ²		4.30000	1.600 ¹
Zinc ²		2.61000	4.300 ¹

¹These concentrations are expressed in mg/l and are measured through an analysis of TCLP extract; all others measured through a total waste analysis.

² These constituents are not Underlying Hazardous Constituents in characteristic wastes, according to the definition at 268.2(i) .

_____ This waste stream contains none of the Underlying Hazardous Constituents (UHC's) listed above or on Page 1, above the UHC's specific treatment standard (UTS) at the point of generation.

_____ Treat for all of the above underlying hazardous constituents.

The information above was determined by: _____ Generator's knowledge of the waste
 _____ Laboratory analysis

Print Name _____

Signature _____

Date _____

Title _____