

**Clean Earth Sampling Protocol  
Connecticut**

	PARAMETERS	TOTAL PETROLEUM HYDROCARBONS (TPH)	TCL VOLATILE ORGANICS*	TCL SEMI-VOLATILE ORGANICS	TCLP Benzene	PCBs	TOTAL METALS - 8 RCRA	TCLP Lead	IGNITABILITY	TOTAL CYANIDE	TCL PESTICIDES	Total HERBICIDES	PAINT FILTER TEST	RADIOACTIVITY
<b>METHODS (1)</b>		8015B or CT ETPH	8260B	8270D	1311/ 8260B	8082A	6010/ 7471	1311/ 6010A		1010A	9010	1311/ 8081B	1311/ 8151A	9095
	<b>FREQUENCY</b>													
<b>MGP (Coal Tar)</b>	3-point composite sample every 250 cy	X	X	X		X	X			X	X	b	b	X
<b>Limit (mg/kg)</b>		Oils: <100,000 Gas: <30,000			<0.5 mg/L	<50		<5.0 mg/L	Negative	<200				No Free Liquids

**Notes:**

- (1) The methods provided are standard EPA methods. The method revisions are subject to change and the most current method should always be utilized by the laboratory.
  - (2) This is to be used as a guideline for sampling. Sampling frequencies and parameter requirements may be modified at the discretion of the CE Approval staff based on items such as site history, levels of contamination and/or source of contamination, etc.
  - (3) When Virgin Material is spilled or released with used products or is spilled into urban fill, Waste Material protocol is required.
  - (4) TCLP analysis is required for VOCs, SVOCs, Metals, Pesticides and/or Herbicides if total concentrations of individual constituents exceeds 20 times the RCRA Toxicity Characteristic concentrations.
- \* - Total Chlorinated Solvents must be <1,000 mg/kg.  
X - Analysis is required.  
a - Written certification from the generator may be used in lieu of analytical results.  
b - Written certification from the generator may be used in lieu of analytical results, unless Site History information indicates pesticides and/or herbicides were used, applied, or spilled.  
c - Soil from aboveground storage tanks containing gasoline requires TCLP Benzene and TCLP Lead analysis. Soil from underground storage tanks containing gasoline requires TCLP Lead analysis only.  
d - Written certification from the generator that identifies that the contaminated media is not radioactive in accordance with NRC and/or DOE regulations may be used instead of testing.  
e - Written certification from the generator may be used in lieu of actual TCLP testing unless Site History information indicates the gasoline spill was prior to 1986.  
f - Analysis for cyanide shall be performed on all media where cyanide was used; otherwise, written certification from the generator may be used in lieu of analytical results.